hydrobiologia volume 302 (1995), contents

no. 1

Between-year variation of periphyton community structure in two Appalachian headwater streams
by M.B. Griffith & S.A. Perry 1–9
Lake optics and depth limits for photogenesis and photosynthesis in charophyte meadows
by R.G. Stross, R.C. Sokol, A.-M. Schwarz & C. Howard-Williams 11–19
Genetic variability and interpopulational differentiation of *Artemia* strains from South America
by G. Gajardo, M. da Conceicao, L. Weber & J.A. Beardmore 21–29
Stream periphyton response to grazing and changes in phosphorus concentration
by S.P. Walton, E.B. Welch & R.R. Horner 31–46
Food consumption by fish populations in the Warta River, Poland, before and after impoundment
by T. Penczak 47–61
An experimental assessment of the temperature responses of two sympatric seagrasses, *Amphibolis antarctica* and *Amphibolis griffithii*, in relation to their biogeography
by D.I. Walker & M.L. Cambridge 63–70
HPLC analysis of chlorophyll *a* breakdown products to interpret microalgae dynamics in a shallow bay
by B. Le Rouzic, G. Bertru & L. Brient 71–80
^{32}Phosphorus transfer in systems of fish and amphipods exploiting detritus particles
by M.L. Costantini & L. Rossi 81–87

no. 2

Evaluation of a fluorescent microparticle technique for measuring filtering rates of *Daphnia*
by C. Wiedner & E. Vareschi 89–96
Parastenocaris lorenzae n.sp., and first record of *Parastenocaris glacialis* Noodt (Copepoda, Harpacticoida) from Italy
by G.L. Pesce, D.P. Galassi & V. Cottarelli 97–101
Numerical variation in three coexisting macrodetritivore species (*Proasellus coxalis, Planorbarius corneus* and *Bithynia tentaculata*) under different levels of vertical forces in aquatic microcosms
by F. Cerfolli & L. Rossi 103–112
Temporal patterns of emergence of the riverine dragonfly *Onychogomphus uncatus* (Odonata: Gomphidae)
by F. Suhling 113–118
On some predatory nematodes from the Okavango Delta, Botswana
by A. Coomans, F. Rashid & J. Heyns 119–131

Lake acidity, fish predation, and the distribution and abundance of some littoral insects
by B.E. Bendell & D.K. McNicol 133–145
Forms and distribution of inorganic phosphorus in sediments of two shallow eutrophic lakes in Florida
by O.G. Olila, K.R. Reddy & W.G. Harris 147–161
Gastrotrichs from interstitial fresh water, with a description of four new species
by M. Balsamo & E. Fregni 163–175

Announcements 177–178

no. 3

Comparative performance of benthic diatom indices used to assess river water quality
by M.G. Kelly, C.J. Penny & B.A. Whitton 179–188
Ecology of deepwater rice-fields in Bangladesh 6. Influence of environmental factors on seasonal changes in the rice plant
by B.P. Jupp, B. Rahman & B.A. Whitton 189–195
Stream-dwelling insects and extremely low frequency electromagnetic fields: a ten-year study
by R.J. Stout & M.P. Rondinelli 197–213
International study on *Artemia*. XLIX. Salinity effects on survival, maturity, growth, biometrics, reproductive and lifespan characteristics of a bisexual and a parthenogenetic population of *Artemia*
by G.V. Triantaphyllidis, K. Poulopoulou, T.J. Abatzopoulos, C.A.P. Pérez & P. Sorgeloos 215–227
The influence of a predatory ostracod, *Australocypris insularis*, on zooplankton abundance and species composition in a saline lake
by C.E. Campbell 229–239
Archilaophonte maxima gen.n., a new taxon of the Laophontidae (Copepoda, Harpacticoida) from the high Antarctic (Weddell Sea)
by E. Willen 241–255

Author index 257